

TOWN OF LEWISBORO
Highway Department

P.O. Box 500 – 11 Main Street
South Salem, NY 10590
Tel: (914) 763-3166
Fax: (914) 763-8134

3/28/2023

The Town of Lewisboro Highway Department received, opened, and read aloud sealed bids for the purchase of the following materials at the Town of Lewisboro Town House , 11 Main Street, South Salem NY 10590, at 1:00 p.m. on the 20th day of March 2023. Results are attached, the prices will remain in effect until **March 31, 2024**. The following vendors had representatives in attendance: Clove Excavators Inc., Inter County Paving Co. Inc., & Lawton Adams Construction Corp.

The Town of Lewisboro reserves the right to allow all municipal and not for profit organizations authorized under the General Municipal Laws of the State of New York, to purchase any goods and/or services awarded as a result of this bid request in accordance with the latest amendments to NYS GML 100 through 104. However, it is understood that the extension of such contracts are at the discretion of the vendor, and the vendor is only bound to any contract between the Town of Lewisboro and the vendor. Additionally, the Town reserves the right to purchase any goods or services included as part of this bid request from any means legally available to it at any time.

Bituminous Concrete
Bituminous Concrete Laid-in-Place
Liquid Bituminous Materials/Crushed Stone Laid-in-Place
Gravel & Stone
Sand
Catch Basins, Catch Basin Tops, & Grate Risers
Guide Rail & Post Installation
Yellow & White Pavement Marking

Thank you,
Peter C. Ripperger
Peter C. Ripperger
Superintendent of Highways

**TOWN OF LEWISBORO
HIGHWAY BID RESULTS 2023/2024**

Bid opening held March 20, 2023

BITUMINOUS CONCRETE

Laid-In-Place Per Net Ton		Clove	Intercounty	Kect
403.118902 M	Hot Mix Asphalt, Type 1 Base Course	112.00	116.47	113.00
403.138902 M	Hot Mix Asphalt, Type 3 Binder Course	113.00	117.47	113.00
403.159802 M	Hot Mix Asphalt, Type 5 Shim Course	149.00	143.97	140.00
403.178902 M	Hot Mix Asphalt, Type 6 Top Course	111.00	117.97	114.00
403.178302 M	Hot Mix Asphalt, Type 6F3 Top Course	111.00	117.97	118.00
403.198302 M	Hot Mix Asphalt, Type 7F3 Top Course	122.00	126.97	122.00
403.218902 M	Hot Mix Asphalt, True and Level Course	111.00	150.47	122.00
404.178902	Warm Mix Asphalt Type 6F3 Base Course	119.00	122.97	118.00
404.118902	Warm Mix Asphalt Type 1 Base Course	115.00	120.47	117.00
404.138902	Warm Mix Asphalt Type 3 Binder	117.00	121.47	117.00
402.098101	9.5mm Super Pave Top	118.00	122.97	118.00
402.128102	12.5mm Super Pave Top	110.20	118.97	114.00
402.198901	19.0mm Super Pave Top	110.00	117.47	113.00
402.258901	25.0mm Super Pave Top Binder	112.00	116.97	112.00
402.378901	37.5mm Super Pave Top Base	110.00	114.47	110.00
402.068101	6.3 Polymer Modified Top	140.00	139.97	135.00

Signed/notarized Non Collusion Bid Certificate	X	X	X
Completed & Signed Laid in Place Bituminous page 6 of bid packet	X	X	X

**TOWN OF LEWISBORO
HIGHWAY BID RESULTS 2023/2024
BITUMINOUS CONCRETE (BLACKTOP) FOB**

Bid opening held March 20, 2023

FOB Per Net Ton		Package Pave	Peckham	Thalle
403.118902 M	Hot Mix Asphalt, Type 1 Base Course	NO BID	92.40	90.00
403.128902 M	Hot Mix Asphalt, Type 3 Binder course		93.45	90.00
403.159802 M	Hot Mix Asphalt, Type 5 Shim Course		114.00	109.00
403.178902 M	Hot Mix Asphalt, Type 6 Top Course		94.50	92.00
403.178302 M	Hot Mix Asphalt, Type 6F3 Top Course		94.50	92.00
403.218902 M	Hot Mix Asphalt, True and Level Course		114.00	100.00
714-06	Asphaltic Concrete Curb Mix	▼	110.00	NO BID
403-2001	Winter Mix	142.00	NO BID	NO BID
Optional	Plant Fine Top Mix	NO BID	104.00	100.00

Signed/notarized Non Collusion Bid Certificate	X	X	X
Completed & Signed Bituminous Concrete page 9 of bid packet	X	X	X

Peckham is within 10 miles of Lewisboro & Thalle is 34.5 miles from Lewisboro as per bid submission

TOWN OF LEWISBORO
HIGHWAY BID RESULTS 2023/2024

NO BIDS

Bid opening held March 20, 2023

LIQUID BITUMINOUS MATERIALS

TABLE 702-4 - ITEM 1				
Medium Curing Cutback, Per Gal Applied				

TABLE 702-3 - ITEM 2				
Rapid Curing Cutback, Per Gal Applied				

Table 702-1 - ITEM 3				
Penetration Asphalt Binder, Per Gal Applied				

TABLE 702-5 & 702-6 - ITEM 4				
CRS-2 Cationic Emulsion, Per Gal Applied				

ITEM 5				
6.3mm Polymer modified, Per Gal Applied				

BITUMENS & CRUSHED STONE (Complete in Place) - 2023/2024

ITEM 6 , Rapid Curing Cutback,				
including 3/8" stone applied & rolled, Per Gal				

ITEM 7 , Penetration Asphalt Binder				
including 3/8" stone applied & rolled, Per Gal				

ITEM 8 , CRS-2, Emulsified asphalt				
including 3/8" stone applied & rolled, Per Gal				

Signed/notarized Non Collusion Bid Certificate				
Completed & Signed Bitumens & Crushed Stone page 11				

TOWN OF LEWISBORO
HIGHWAY BID RESULTS 2023/2024 GRAVEL & STONE

Bid opening held March 20, 2023

Delivered Per Ton

DARK GRAY

Crushed Stone	Lawton Adams	Putnam Mat	Thalle	Wingdale
1/4" Stone	NO BID	NO BID	38.50	NO BID
3/8" Stone	42.50	NO BID	35.00	38.90
1/2" Stone	NO BID	NO BID	35.00	37.25
3/4" Stone	36.00	NO BID	33.50	34.40
1-1/2" Stone	36.00	NO BID	34.50	34.40
2" Stone	39.00	NO BID	34.50	35.60
Stone Fill				
Fine Stone Fill	45.00	NO BID	36.50	40.00
Light Stone Fill	45.00	NO BID	36.50	40.00
Medium Stone Fill	58.00	NO BID	54.50	54.00
Heavy Stone Fill	NO BID	NO BID	71.50	NO BID

LIMESTONE

Crushed Stone				
1/4" Stone	NO BID	NO BID	NO BID	NO BID
3/8" Stone	NO BID	NO BID	NO BID	NO BID
1/2" Stone	NO BID	35.00	NO BID	NO BID
3/4" Stone	NO BID	35.00	NO BID	NO BID
1-1/2" Stone	NO BID	35.00	NO BID	NO BID
2" Stone	NO BID	NO BID	NO BID	NO BID
Stone Fill				
Fine Stone Fill	NO BID	NO BID	NO BID	NO BID
Light Stone Fill	NO BID	39.50	NO BID	NO BID
Medium Stone Fill	NO BID	NO BID	NO BID	NO BID
Heavy Stone Fill	NO BID	NO BID	NO BID	NO BID
ITEM 4				
Type 1 Sub base Course – Earth tone	32.00	26.60	27.00	28.60
Recycled Item 4	13.50	17.00	18.50	NO BID
Signed/notarized Non Collusion Bid Cert	X	X	X	X
Completed & Signed Gravel & Stone page 14	X	X	X	X

TOWN OF LEWISBORO
HIGHWAY BID RESULTS 2023/2024
Bid opening held March 20, 2023
SAND

FOB Per Ton	Red Wing	Thalle	Wingdale
Ice Control Sand	18.00	21.00	19.00
Dry Screened	NO BID	21.00	19.00

Delivered Per Net Ton	Red Wing	Thalle	Wingdale
Ice Control Sand	29.60	31.50	31.50
Dry Screened	NO BID	31.50	31.50

Signed/notarized Non Collusion Bid Certificate	X	X	X
Completed & Signed Sand page 16 of bid packet	X	X	X

TOWN OF LEWISBORO
HIGHWAY BID RESULTS 2023/2024
Bid opening held March 20, 2023
CATCH BASINS, CATCH BASIN TOPS, & GRATE RISERS

	Carmel Win Water	Chemung	M & M
Reinforced Precast 3 Foot Catch Basin	425.71	NO BID	383.00
Reinforced Precast 4 Foot Catch Basin	544.29	NO BID	423.00
*Reinforced Precast Catch Baby Basin	428.50	NO BID	325.00

**(Different size) 30 x30 x 36-Carmel WinWater*

Precast Reinforced Concrete Tops			
Flat Top 45"x56"x8" with Grate and Frame 19-1/2"x36"	680.00	NO BID	546.00
Curb Top 45"x56"	693.50	NO BID	572.00

Steel Grate Riser 36" x 19.375 x 1.5" rise -- 3" thick	305.00	265.00	NO BID

Steel Grate Riser 20 1/8 x 19 5/8 x 2 5/8 inside frame 19 3/4 x 19/ 1/2 x 2 5/8 thick outside grate 1.5" rise	NO BID	265.00	NO BID

Signed/notarized Non Collusion Bid Certificate	X	X	X
Completed & Signed Catch Basins, Catch Basin Tops & Grate Risers pg 1	X	X	X

TOWN OF LEWISBORO
HIGHWAY BID RESULTS 2023/2024
GUIDE RAIL AND POST INSTALLATION SPECIFICATIONS

Bid opening held March 20, 2023

Guide Rail and Post Installation Meeting Galvanized Specifications

	<u>CHEMUNG</u>
1. Complete layout and installation of guide rail and posts per New York state specifications -- PER LINEAL FOOT	<u>INSTALL</u>
12'6" w-beam	<u>11.50</u>
6'3" w-beam	<u>12.25</u>
Box Beam	<u>13.20</u>
2. Corrugated beam type guide rail--punched 6'3" -- PER LINEAL FOOT	<u>15.88</u>
3. Corrugated beam type guide rail--punched 6'3"	
curved to 50" radius and up -- EACH	<u>389.00</u>
curved 40 to 50' radius -- EACH	<u>389.00</u>
curved 30 to 39' radius -- EACH	<u>389.00</u>
curved 20 to 29' radius -- EACH	<u>389.00</u>
4. Corrugated beam type guide rail---length 13'6.5" (shop curved rail)(approach and terminal) (rotation 90 degrees) -- EACH	<u>420.00</u>
5. 3" x 2 3/8" I-intermediate guide rail posts--length 5'3" -- EACH	<u>89.60</u>
6. Flared type terminal sections, 12 gauge -- EACH	<u>54.20</u>

7.	Wrap around type terminal sections, 12 gauge -- EACH	<u>79.60</u>
8.	Concrete anchor unit with all necessary hardware -- EACH	<u>744.00</u>
9.	Galvanized splice bolts 1 1/4" x 5/8" -- EACH	<u>1.40</u>
10.	Galvanized post bolts 5/16" x 1 3/4" with washer and nuts -- EACH	<u>1.44</u>
11.	Galvanized post bolts 2" x 5/8" -- EACH	<u>1.47</u>
12.	Galvanized support bolts 1/2" x 1 1/2", 2 nuts, no washers -- EACH	<u>1.38</u>
13.	6" x 6" x 24' box beam type guide rail, including shelf angle, splice plates, nuts, and bolts -- PER LINEAL FOOT	<u>47.60</u>
14.	6" X 6" box beam type guide rail curved to special radius -- PER LINEAL FOOT	<u>54.10</u>
15.	6" X 6" box beam type guide rail, shop cuts, and mitered curved rail -- PER LINEAL FOOT	<u>77.45</u>
16.	6" x 6" box beam guide rail end sections -- EACH	<u>794.00</u>
17.	3" I-beam guide rail posts 5' 3" long, intermediate type post for box beam rail -- EACH	<u>84.16</u>
18.	3" I-beam guide rail posts 3' 8" long end type post for box beam rail -- EACH	<u>87.60</u>

Corrugated Box Beam and Guide Rail Materials Meeting Mayari Specifications

- | | |
|--|---------------|
| 19. Mayari corrugated beam type guide rail punched 6'3" -- PER LINEAL FOOT | <u>NO BID</u> |
| | |
| 20. Mayari corrugated beam type guide rail punched 6'3", curved to special radius: | |
| curved to 50' radius and up -- EACH | <u>NO BID</u> |
| curved 40 to 50 ' radius -- EACH | <u>NO BID</u> |
| curved 30 to 40 ' radius -- EACH | <u>NO BID</u> |
| curved 20 to 29' radius -- EACH | <u>NO BID</u> |
| | |
| 21. Mayari corrugated beam type guide rail -- length 13' 6 1/2" (shop curved rail) (approach and terminal) (rotation to 90 degree) -- EACH | <u>NO BID</u> |
| | |
| 22. 3" x 2 3/8" Mayari I-intermediate guide rail posts -- length 5' 3" -- EACH | <u>NO BID</u> |
| | |
| 23. Mayari flared type terminal sections, 12 gauge -- EACH | <u>NO BID</u> |
| | |
| 24. Mayari wrap around type terminal sections, 12 gauge -- EACH | <u>NO BID</u> |
| | |
| 25. 6" x 6" x 24' Mayari box beam type guide rail, including shelf angle, splice plates, nuts, & bolts-- EACH | <u>NO BID</u> |

- | | | |
|-----|---|---------------|
| 26. | 6" x 6" Mayari box beam type guide rail curved to special radius -- PER LINEAL FOOT | <u>NO BID</u> |
| 27. | 6" x 6" Mayari box beam type guide rail , shop cuts, and mitered curved rail -- PER LINEAL FOOT | <u>NO BID</u> |
| 28. | 6" x 6" Mayari box beam guide rail end sections -- EACH | <u>NO BID</u> |
| 29. | 3" Mayari I-beam guide rail posts 5' 3" long, intermediate type posts for box beam guide rail -- EACH | <u>NO BID</u> |
| 30. | 3" Mayari I-beam guide rail posts 3' 8" long end type posts for box beam guide rail -- EACH | <u>NO BID</u> |

TOWN OF LEWISBORO
HIGHWAY BID 2023/2024
Timber Guide Rail For Roadside Projects and Maintenance

1) Ironwood guide rail, price per L.F. complete

A) 1' – 100' L.F.

B) 100' L.F. and over

2) End terminal, type 1 timber rail complete -- EACH

3) End terminal, type 11' timber rail complete -- EACH

4) Anchorage unit for ironwood guide rail, back slope -- EACH

Signed/notarized Non Collusion Bid Certificate

Completed & Signed Guide Rail & Post Installation page 22 of bid packet

TOWN OF LEWISBORO
HIGHWAY BID RESULTS 2023/2024
Bid opening held March 20, 2023
Pavement Marking

NO BIDS

Unit Price Per Mile, Single Center Line			
Unit Price Per Mile, Double Center Line			
Unit Price Per Mile, Single White Edge Line			
4 inch Wide Stop Lines, Per Stop Line			
Cross Walks, per cross walk			

Signed/notarized Non Collusion Bid Cert			
Completed & Signed Yellow & White Pavement Markings pg 24			

One bid was later received by the Town of Lewisboro, Town Clerks office on March 21, 2023 at 11:30am